
Principal Compontant Analysis
based on the 1000 most variant genes
PC2: 20% variance
PC1: 39% variance
10
5
0
−5
−10
−10
0
10
condition
09
15
24
30


Principal Compontant Analysis
based on the 100 most variant genes
PC2: 29% variance
PC1: 44% variance
5
0
−5
−10
−5
0
5
10
condition
09
15
24
30


Principal Compontant Analysis
based on the 10 most variant genes
5.0
2.5
0.0
−2.5
PC2: 26% variance
−2.5
0.0
2.5
5.0
PC1: 57% variance
condition
09
15
24
30


Principal Compontant Analysis
based on the 6980 most variant genes
10
5
0
−5
−10
PC2: 16% variance
−20
−10
0
10
PC1: 31% variance
condition
09
15
24
30


Principal Compontant Analysis
based on the 1000 most variant genes
PC3: 10% variance
PC2: 19.5% variance
PC1: 38.9% variance
Age in months
09
15
24
30


Principal Compontant Analysis
based on the 100 most variant genes
PC3: 7.2% variance
PC1: 43.9% variance
PC2: 28.9% variance
Age in months
09
15
24
30


Principal Compontant Analysis
based on the 10 most variant genes
PC3: 8.1% variance
PC2: 26.2% variance
PC1: 56.7% variance
Age in months
09
15
24
30


Principal Compontant Analysis
based on the 6980 most variant genes
PC3: 13.9% variance
PC1: 31.2% variance
PC2: 16.1% variance
Age in months
09
15
24
30